Author Index of Volume 474

Abdol Latif, L., 217
Abis, L., C16
Akhter, Z., 165
Alvarez, B., 143
Anderson, G.K., 223
Ang, H.G., 149, 153
Aslanov, L.A., 107

Bachechi, F., 191
Bangel, M., 55
Bardaji, M., C21, C24
Belderraín, T.R., C5
Bertagnolli, H., 117
Biagini, P., C16
Blaschette, A., 97
Böhme, U., C19
Bökman, F., 117
Brantin, K., 229
Bringmann, G., 117
Brown, D.A., 129
Brown, N.C., C21, C24
Browning, J., 199
Bürger, H., 43

Cadierno, V., C27
Cambie, R.C., 31
Carilla, J., 89
Carmona, E., C5
Chan, S., C30
Chang, B., 153
Cheng, M.-C., C34
Christofides, A., C24
Clark, R.J.H., C19
Coll, M., 89
Connelly, N.G., C21, C24
Contreras, L., C5
Cristau, H.-J., C14
Cunningham, D., 173

Dahlhaus, J., 55
Davies, A.G., C8, C11
Davies, R., C21
Dixon, K.R., 199
Dyadchenko, V.P., 1

Eaborn, C., 217

Fajarí, L., 89
Fallis, S., 223
Fernando, S.I.S., 133
Foltynowicz, Z., 83

Gamasa, M.P., C27
Gasc, M.-B., C14
Gehrhus, B., 71
Gimeno, J., C27
Glass, W.K., 129
Grandberg, K.I., 1
Guan, J., 113

Habel, W., 63
Håkansson, M., 229
Han, J.-S., 183
Heinicke, J., 71
Hill, J.H.M., 31
Hwu, C.-C., 123

Ingham, S.L., 165

Jagner, S., 229
Jennens, M., C19
Jones, P.G., 97
Juliá, L., 89
Jun, C.-H., 183
Jutzi, P., 55

Kang, J.-B., 183
Karsch, H.H., C1
Kijima, M., 177
Kim, S.-I., 183
Kinart, W.J., C11
Krahl, J., 97
Kwik, W.L., 149, 153

Lange, I., 97
Lastra, E., C27
Lewis, J., 165
Liang, H., 113
Lin, Y.-C., C34
Lin, Y.H., 113
Lugli, G., C16

Manning, A.R., 173
Marciniec, B., 83
Matt, D., 207
Mayer, L., 63
McArdle, P.A., 173
Meinel, S., 71
Miguel, D., 143
Millini, R., C16
Monge, A., C5
Murai, S., 23

O'Dwyer, L., 173
Ohe, K., 23
Ong, K.K., 149
Orita, A., 23
Orpen, A.G., C21
Osei-Kissi, D.K., C8, C11

Paneque, M., C5
Párraga, A., 89
Pauer, F., 27
Paul, M., C1
Pawelke, G., 43
Pérez-Martínez, J.A., 143
Pidcock, A.P., 217
Pietraszuk, C., 83
Power, P.P., 27

Raithby, P.R., 165
Richter, R., C1
Riede, J., C1
Riera, J., 89
Riera, V., 143
Roberts, R.M.G., 133
Rosair, G.M., C21
Rothe, J., 43
Rudert, R., 59
Ruiz, C., C5
Rutledge, P.S., 31

Salama, M.M., 129
Sartori, P., 63
Sato, T., 177
Schenk, H., 107
Schmaucks, G., 59
Schupp, O., 117
Seear, N.R., C21
Shen, Q., 113
Sheu, J.-H., 123
Sim, E.S.H., 153
Solans, X., 89
Soulivong, D., 207
Srebnik, M., 49
Stevenson, R.J., 31

Wang, F.-C., 123
Wang, S.F., 199
Wang, Y., C34
Weng, N.S., 217
Wong, W.-T., C30
Wong, W.-Y., C30
Woodgate, P.D., 31

Yamashita, H., 177
Yangkou Mbianda, X., C14
Yatsenko, A.V., 107
Yeh, M.-C.P., 123
Yih, K.-H., C34

Zheng, B., 49
Ziessel, R., 207

Subject Index of Volume 474

Aldehyde
Polyfunctional phosphine ligands. Preparation of 4′-formyl-2-diphenylphosphinoacetophenone and its coordination properties (D. Soulivong, R. Ziessel and D. Matt), 207

Aldimine
Hydroxy-group directing hydroiminoacylation of α,ω-dien-3-ol with aldimine by Wilkinson's Complex (C.-H. Jun, J.-S. Han, J.-B. Kang and S.-I. Kim), 183

Alkene
1,4-Dilithio-1,2,3,4-tetraphenyl-butadiene – crystal structure of the 1,2-dimethoxyethane adduct (F. Pauer and P.P. Power), 27

Alkenylboronic ester
Synthesis of a new class of bidentate Lewis acids based on boronic esters and zirconocene (B. Zheng and M. Srebnik), 49

Alkoxides
Alkylation of lanthanide alkoxides: synthesis of $[Ln(\mu\text{-}OBu^t)_3(\mu\text{-}Me)_3(AlMe_2)_3]$ (Ln = Pr, Nd or Y) (P. Biagini, G. Lugli, L. Abis and R. Millini), C16

Alkyl
Alkylation of lanthanide alkoxides: synthesis of $[Ln(\mu\text{-}OBu^t)_3(\mu\text{-}Me)_3(AlMe_2)_3]$ (Ln = Pr, Nd or Y) (P. Biagini, G. Lugli, L. Abis and R. Millini), C16

Alkylidyne
Synthesis of novel triosmium alkylidene carbonyl clusters. Crystal structures of $[Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}CNC_5H_4\text{-}CH{=}CH_2)]$ and $[Os_3(\mu\text{-}H)(CO)_9(\mu\text{-}C(H)NC_5H_4\text{-}\eta^2\text{-}CH{=}CH_2)]$ (S. Chan, W.-Y. Wong and W.-T. Wong), C30

Alkyne
Copper(I)-induced activation of monosubstituted acetylenes. Perturbation of ligand geometry resulting from π-complexation (K. Brantin, M. Håkansson and S. Jagner), 229

Alkynyl
Reactions of novel cationic diphenylallenylidene complexes $[Ru(=C=C=CPh_2)L_2(\eta\text{-}C_9H_7)]^+$ (L = PPh_3; L_2 = bis(diphenylphosphino)-methane, dppm or 1,2-bis(diphenylphosphino)ethane, dppe) with neutral and anionic nucleophiles (V. Cadierno, M.P. Gamasa, J. Gimeno and E. Lastra), C27

Allenylidene
Reactions of novel cationic diphenylallenylidene complexes $[Ru(=C=C=CPh_2)L_2(\eta\text{-}C_9H_7)]^+$ (L = PPh_3; L_2 = bis(diphenylphosphino)-methane, dppm or 1,2-bis(diphenylphosphino)ethane, dppe) with neutral and anionic nucleophiles (V. Cadierno, M.P. Gamasa, J. Gimeno and E. Lastra), C27

Amine–borane
Ene-type and hydride-shift reactions of thiocarbonyl compounds with (dimethylamino)bis(trifluoromethyl)borane, $(CF_3)_2BNMe_2$ (H. Bürger, G. Pawelke and J. Rothe), 43

Arene
A new method for the synthesis of $Ln(\eta^6\text{-}C_6Me_6)(AlCl_4)_3$(Ln = Nd, Sm, Gd, Yb), and the X-ray crystal structure of $Yb(\eta^6\text{-}C_6Me_6)(AlCl_4)_3 \cdot MeC_6H_5$ (H. Liang, Q. Shen, J. Guan and Y.H. Lin), 113
Areneruthenium complexes with S_2CPR_3 and trichlorostannate (B. Alvarez, D. Miguel, J.A. Pérez-Martínez and V. Riera), 143
Synthesis of some heterocyclic derivatives of (η-arene)(η-cyclopentadienyl)iron(II) hexafluorophosphates including estimation of dihedral angles in both free and complexed ligands (S.I.S. Fernando and R.M.G. Roberts), 133

Barium
Synthesis and structural characterization of volatile poly(3,5-dimethyl-1-pyrazolyl)borate-complexes of Ca, Sr, and Ba (T.R. Belderraín, L. Contreras, M. Paneque, E. Carmona, A. Monge and C. Ruiz), C5

Benzannulation
Benzannulation of podocarpic acid derivatives via directed *ortho* metallation and lithium-copper(I) transmetallation (R.C. Cambie, J.H.M. Hill, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 31

Biaryl
Novel concepts in directed biaryl synthesis. XXXIII . An EXAFS spectroscopic study of the structure of lactone-bridged biaryls coordinated to $CpZrCl_3$ in toluene solution (F. Bökman, H. Bertagnolli, O. Schupp and G. Bringmann), 117

Bimetallics
Synthesis of a new class of bidentate Lewis acids based on boronic esters and zirconocene (B. Zheng and M. Srebnik), 49

Bond energy
Reactions of alkylcobaloximes with oxygen under irradiation. Oxygenative conversions of the alkyl ligand (M. Kijima, H. Yamashita and T. Sato), 177

π-Bonding
Synthesis and reactivity of functional 1-methyl-silacyclopentenes (J. Heinicke, B. Gehrhus and S. Meinel), 71

Boron
Ene-type and hydride-shift reactions of thiocarbonyl compounds with (dimethylamino)bis(trifluoromethyl)borane, $(CF_3)_2BNMe_2$ (H. Bürger, G. Pawelke and J. Rothe), 43
Synthesis of a new class of bidentate Lewis acids based on boronic esters and zirconocene (B. Zheng and M. Srebnik), 49

Bridging ligand
Novel concepts in directed biaryl synthesis. XXXIII . An EXAFS spectroscopic study of the structure of lactone-bridged biaryls coordinated to $CpZrCl_3$ in toluene solution (F. Bökman, H. Bertagnolli, O. Schupp and G. Bringmann), 117

Calcium
Synthesis and structural characterization of volatile poly(3,5-dimethyl-1-pyrazolyl)borate-complexes of Ca, Sr, and Ba (T.R. Belderraín, L. Contreras, M. Paneque, E. Carmona, A. Monge and C. Ruiz), C5

Carbamoylsilane
The reaction of carbamoylcopper with a silyl chloride to give a carbamoylsilane (A. Orita, K. Ohe and S. Murai), 23

Carbene
Reactions of novel cationic diphenylallenylidene complexes $[Ru(=C=C=CPh_2)L_2(\eta\text{-}C_9H_7)]^+$ (L = PPh_3; L_2 = bis(diphenylphosphino)-methane, dppm or 1,2-bis(diphenylphosphino)ethane, dppe) with neutral and anionic nucle-

ophiles (V. Cadierno, M.P. Gamasa, J. Gimeno and E. Lastra), C27
Regioselective formation of allylidenecyclopropanes from Fischer chromiumcarbene complexes and vinylidenecyclopropanes (C.-C. Hwu, F.-C. Wang, M.-C.P. Yeh and J.-H. Sheu), 123
Carbon monoxide
Reactions of platinum triflate complexes with carbon monoxide and t-butyl isonitrile (S. Fallis and G.K. Anderson), 223
Carbonyl
Addition of some gold electrophiles to an octa-osmium carbonyl cluster: thermodynamic *vs.* kinetic control (Z. Akhter, S.L. Ingham, J. Lewis and P.R. Raithby), 165
Synthesis of novel triosmium alkylidene carbonyl clusters. Crystal structures of $[Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}CNC_5H_4\text{-}CH{=}CH_2)]$ and $[Os_3(\mu\text{-}H)(CO)_9(\mu\text{-}C(H)NC_5H_4\text{-}\eta^2\text{-}CH{=}CH_2)]$ (S. Chan, W.-Y. Wong and W.-T. Wong), C30
Carbosilane
Synthese und Charakterisierung von Hydridopoly(carbosilanen) (W. Habel, L. Mayer und P. Sartori), 63
C–H activation
Hydroxy-group directing hydroiminoacylation of α,ω-dien-3-ol with aldimine by Wilkinson's Complex (C.-H. Jun, J.-S. Han, J.-B. Kang and S.-I. Kim), 183
Chlorine
Dichlorobis(pentachlorophenyl)germane and derivatives; synthesis of bis(pentachlorophenyl)germanediol and molecular structure of diiodobis(pentachlorophenyl)germane (L. Fajarí, J. Carilla, L. Juliá, J. Riera, A. Párraga, M. Coll and X. Solans), 89
Chromium
Regioselective formation of allylidenecyclopropanes from Fischer chromiumcarbene complexes and vinylidenecyclopropanes (C.-C. Hwu, F.-C. Wang, M.-C.P. Yeh and J.-H. Sheu), 123
Cluster
Addition of some gold electrophiles to an octa-osmium carbonyl cluster: thermodynamic *vs.* kinetic control (Z. Akhter, S.L. Ingham, J. Lewis and P.R. Raithby), 165
Synthesis of novel triosmium alkylidene carbonyl clusters. Crystal structures of $[Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}CNC_5H_4\text{-}CH{=}CH_2)]$ and $[Os_3(\mu\text{-}H)(CO)_9(\mu\text{-}C(H)NC_5H_4\text{-}\eta^2\text{-}CH{=}CH_2)]$ (S. Chan, W.-Y. Wong and W.-T. Wong), C30
X-ray structural analysis of the polyhydride complex salt $[(Ph_3P)_3Ir(\mu\text{-}H)_3Ag(\mu\text{-}H)_3Ir(Ph_3P)_3][O_3SCF_3]$ (F. Bachechi), 191
Cobalt
Reactions of alkylcobaloximes with oxygen under irradiation. Oxygenative conversions of the alkyl ligand (M. Kijima, H. Yamashita and T. Sato), 177
The structure of $[Co_3(\eta\text{-}C_5H_5)_3(\mu_3\text{-}S)(\mu_3\text{-}CNC_6H_4Me\text{-}4)]$ (A.R. Manning, L. O'Dwyer, P.A. McArdle and D. Cunningham), 173
Copper
Benzannulation of podocarpic acid derivatives via directed *ortho* metallation and lithium-copper(I) transmetallation (R.C. Cambie, J.H.M. Hill, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 31
Copper(I)-induced activation of monosubstituted acetylenes. Perturbation of ligand geometry resulting from π-complexation (K. Brantin, M. Håkansson and S. Jagner), 229
Cothermolytic synthesis
Synthesis and reactivity of functional 1-methyl-silacyclopentenes (J. Heinicke, B. Gehrhus and S. Meinel), 71
Crystal structure
1,4-Dilithio-1,2,3,4-tetraphenyl-butadiene – crystal structure of the 1,2-dimethoxyethane adduct (F. Pauer and P.P. Power), 27
Addition of some gold electrophiles to an octa-osmium carbonyl cluster: thermodynamic *vs.* kinetic control (Z. Akhter, S.L. Ingham, J. Lewis and P.R. Raithby), 165
Copper(I)-induced activation of monosubstituted acetylenes. Perturbation of ligand geometry resulting from π-complexation (K. Brantin, M. Håkansson and S. Jagner), 229
Low-valent metal complexes as redox-active ligands: new heteropolynuclear derivatives of manganese and rhenium cyanides and the crystal structure of $[(o\text{-phen})(OC)_3Re(\mu\text{-}CN)Ru(CO)_2(PPh_3)(o\text{-}O_2C_6Cl_4)]$ (M. Bardaji, N.C. Brown, N.G. Connelly, R. Davies, A.G. Orpen, G.M. Rosair and N.R. Seear), C21
Polysulfonylamine. LIII. Triphenylphosphinoxid-Komplexe von Organozinn(IV)-dimesylamiden: Darstellung und Festkörperstrukturen ionischer Komplexe des Typs $[R_3Sn(OPPh_3)_2]^+[(MeSO_2)_2N]^-$ und des Molekülkomplexes $[Me_2Sn\{OS(:O,Me)NSO_2Me\}_2(OPPh_3)_2]$ (I. Lange, J. Krahl, P.G. Jones und A. Blaschette), 97
Square planar platinum(II) complexes. Crystal structures of *cis*-bis(triphenylphosphine)hydro(triphenylstannyl)platinum(II) and *cis*-bis(triphenylphosphine)hydro(triphenylsilyl)-platinum(II) (L. Abdol Latif, C. Eaborn, A.P. Pidcock and N.S. Weng), 217
Synthesis, crystal and molecular structure of *N,N*-dimethyl-3-[tris(trimethylsiloxanyl)silyl]pyrrolinium chloride (R. Rudert and G. Schmaucks), 59
Synthesis of novel triosmium alkylidene carbonyl clusters. Crystal structures of $[Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}CNC_5H_4\text{-}CH{=}CH_2)]$ and $[Os_3(\mu\text{-}H)(CO)_9(\mu\text{-}C(H)NC_5H_4\text{-}\eta^2\text{-}CH{=}CH_2)]$ (S. Chan, W.-Y. Wong and W.-T. Wong), C30
The structure of $[Co_3(\eta\text{-}C_5H_5)_3(\mu_3\text{-}S)(\mu_3\text{-}CNC_6H_4Me\text{-}4)]$ (A.R. Manning, L. O'Dwyer, P.A. McArdle and D. Cunningham), 173
Cuprate addition
A convenient stereoselective synthesis of disubstituted alk-1-enyl phosphonates (H.-J. Cristau, M.-B. Gasc and X. Yangkou Mbianda), C14
Cyanide
Heteropolynuclear complexes containing multiple redox sites: cyanometal ligand derivatives of the triazenido-bridged dirhodium fragment (M. Bardaji, N.C. Brown, A. Christofides and N.G. Connelly), C24
Low-valent metal complexes as redox-active ligands: new heteropolynuclear derivatives of manganese and rhenium cyanides and the crystal structure of $[(o\text{-phen})(OC)_3Re(\mu\text{-}CN)Ru(CO)_2(PPh_3)(o\text{-}O_2C_6Cl_4)]$ (M. Bardaji, N.C. Brown, N.G. Connelly, R. Davies, A.G. Orpen, G.M. Rosair and N.R. Seear), C21
Cycloaddition
Synthesis and reactivity of functional 1-methyl-silacyclopentenes (J. Heinicke, B. Gehrhus and S. Meinel), 71
Cyclopentadienyl
Bis(tert-butylcyclopentadienyl)(divinyl)hafnium from bis(tert-butylcyclopentadienyl)hafnium dichloride and vinyllithium (U. Böhme, R.J.H. Clark and M. Jennens), C19
Novel concepts in directed biaryl synthesis. XXXIII . An EXAFS spectroscopic study of the structure of lactone-bridged biaryls coordinated to $CpZrCl_3$ in toluene solution (F. Bökman, H. Bertagnolli, O. Schupp and G. Bringmann), 117

Spectroscopic studies of hydride addition to the tricarbonylcyclopentadienyliron cation (D.A. Brown, W.K. Glass and M.M. Salama), 129
Synthesis of some heterocyclic derivatives of (η-arene)(η-cyclopentadienyl)iron(II) hexafluorophosphates including estimation of dihedral angles in both free and complexed ligands (S.I.S. Fernando and R.M.G. Roberts), 133
The structure of $[Co_3(\eta\text{-}C_5H_5)_3(\mu_3\text{-}S)(\mu_3\text{-}CNC_6H_4Me\text{-}4)]$ (A.R. Manning, L. O'Dwyer, P.A. McArdle and D. Cunningham), 173
Zur Synthese von Silicium-, Zinn- und Thallium-Verbindungen mit Dimethylaminoethyl-substituierten Cyclopentadienyl-Liganden (J. Dahlhaus, M. Bangel und P. Jutzi), 55

Diastereoselective hydrozirconation
Synthesis of a new class of bidentate Lewis acids based on boronic esters and zirconocene (B. Zheng and M. Srebnik), 49
Dimesyl amide
Polysulfonylamine. LIII. Triphenylphosphinoxid-Komplexe von Organozinn(IV)-dimesylamiden: Darstellung und Festkörperstrukturen ionischer Komplexe des Typs $[R_3Sn(OPPh_3)_2]^+$-$[(MeSO_2)_2N]^-$ und des Molekülkomplexes $[Me_2Sn\{OS(:O,Me)NSO_2Me\}_2(OPPh_3)_2]$ (I. Lange, J. Krahl, P.G. Jones und A. Blaschette), 97
Diolefin
Synthesis and reactivity of functional 1-methyl-silacyclopentenes (J. Heinicke, B. Gehrhus and S. Meinel), 71
Dioxygen
Reactions of alkylcobaloximes with oxygen under irradiation. Oxygenative conversions of the alkyl ligand (M. Kijima, H. Yamashita and T. Sato), 177
Diphosphine
Reactions of platinum triflate complexes with carbon monoxide and t-butyl isonitrile (S. Fallis and G.K. Anderson), 223

Electrochemistry
Heteropolynuclear complexes containing multiple redox sites: cyanometal ligand derivatives of the triazenido-bridged dirhodium fragment (M. Bardaji, N.C. Brown, A. Christofides and N.G. Connelly), C24
Low-valent metal complexes as redox-active ligands: new heteropolynuclear derivatives of manganese and rhenium cyanides and the crystal structure of $[(o\text{-phen})(OC)_3Re(\mu\text{-}CN)Ru(CO)_2(PPh_3)(o\text{-}O_2C_6Cl_4)]$ (M. Bardaji, N.C. Brown, N.G. Connelly, R. Davies, A.G. Orpen, G.M. Rosair and N.R. Seear), C21
Ene-type reactions
Ene-type and hydride-shift reactions of thiocarbonyl compounds with (dimethylamino)bis(trifluoromethyl)borane, $(CF_3)_2BNMe_2$ (H. Bürger, G. Pawelke and J. Rothe), 43
EXAFS
Novel concepts in directed biaryl synthesis. XXXIII . An EXAFS spectroscopic study of the structure of lactone-bridged biaryls coordinated to $CpZrCl_3$ in toluene solution (F. Bökman, H. Bertagnolli, O. Schupp and G. Bringmann), 117

Ferrocene
Hydroxy-group directing hydroiminoacylation of α,ω-dien-3-ol with aldimine by Wilkinson's Complex (C.-H. Jun, J.-S. Han, J.-B. Kang and S.-I. Kim), 183
Free radical
Hydrostannation and hydrostannolysis by diorganotin hydrides R_2SnXH (X = halide, carboxylate, sulphonate, etc.) (A.G. Davies, W.J. Kinart and D.K. Osei-Kissi), C11
Free radicals
The formation of distannanes from tin hydrides (A.G. Davies and D.K. Osei-Kissi), C8

Gadolinium
A new method for the synthesis of $Ln(\eta^6\text{-}C_6Me_6)(AlCl_4)_3$(Ln = Nd, Sm, Gd, Yb), and the X-ray crystal structure of $Yb(\eta^6\text{-}C_6Me_6)(AlCl_4)_3 \cdot MeC_6H_5$ (H. Liang, Q. Shen, J. Guan and Y.H. Lin), 113
Germanium
Dichlorobis(pentachlorophenyl)germane and derivatives; synthesis of bis(pentachlorophenyl)germanediol and molecular structure of diiodobis(pentachlorophenyl)germane (L. Fajarí, J. Carilla, L. Juliá, J. Riera, A. Párraga, M. Coll and X. Solans), 89
Gold
Addition of some gold electrophiles to an octa-osmium carbonyl cluster: thermodynamic *vs.* kinetic control (Z. Akhter, S.L. Ingham, J. Lewis and P.R. Raithby), 165
Some aspects of the organometallic chemistry of univalent gold (K.I. Grandberg and V.P. Dyadchenko), 1
Group 1
1,4-Dilithio-1,2,3,4-tetraphenyl-butadiene – crystal structure of the 1,2-dimethoxyethane adduct (F. Pauer and P.P. Power), 27
Group 10
Reactions of platinum triflate complexes with carbon monoxide and t-butyl isonitrile (S. Fallis and G.K. Anderson), 223

Hafnium
Bis(tert-butylcyclopentadienyl)(divinyl)hafnium from bis(tert-butylcyclopentadienyl)hafnium dichloride and vinyllithium (U. Böhme, R.J.H. Clark and M. Jennens), C19
Hydride
Hydrostannation and hydrostannolysis by diorganotin hydrides R_2SnXH (X = halide, carboxylate, sulphonate, etc.) (A.G. Davies, W.J. Kinart and D.K. Osei-Kissi), C11
Spectroscopic studies of hydride addition to the tricarbonylcyclopentadienyliron cation (D.A. Brown, W.K. Glass and M.M. Salama), 129
Synthese und Charakterisierung von Hydridopoly(carbosilanen) (W. Habel, L. Mayer und P. Sartori), 63
The formation of distannanes from tin hydrides (A.G. Davies and D.K. Osei-Kissi), C8
X-ray structural analysis of the polyhydride complex salt $[(Ph_3P)_3Ir(\mu\text{-}H)_3Ag(\mu\text{-}H)_3Ir(Ph_3P)_3][O_3SCF_3]$ (F. Bachechi), 191
Hydride-shift reactions
Ene-type and hydride-shift reactions of thiocarbonyl compounds with (dimethylamino)bis(trifluoromethyl)borane, $(CF_3)_2BNMe_2$ (H. Bürger, G. Pawelke and J. Rothe), 43
Hydroboration
Synthesis of a new class of bidentate Lewis acids based on boronic esters and zirconocene (B. Zheng and M. Srebnik), 49
Hydrogen bonding
Crystal structures of $Ph_2PbCl_2(imidazole)_2$ isomers with *trans*- and *cis*-arrangements of the phenyl groups (A.V. Yatsenko, H. Schenk and L.A. Aslanov), 107
Hydroiminoacylation
Hydroxy-group directing hydroiminoacylation of α,ω-dien-3-ol with aldimine by Wilkinson's Complex (C.-H. Jun, J.-S. Han, J.-B. Kang and S.-I. Kim), 183

Hydrosilylation
Synthesis, crystal and molecular structure of *N,N*-dimethyl-3-[tris(trimethylsiloxanyl)silyl]pyrrolinium chloride (R. Rudert and G. Schmaucks), 59
Hydrostannation
Hydrostannation and hydrostannolysis by diorganotin hydrides R_2SnXH (X = halide, carboxylate, sulphonate, etc.) (A.G. Davies, W.J. Kinart and D.K. Osei-Kissi), C11
The formation of distannanes from tin hydrides (A.G. Davies and D.K. Osei-Kissi), C8
Hydrostannolysis
Hydrostannation and hydrostannolysis by diorganotin hydrides R_2SnXH (X = halide, carboxylate, sulphonate, etc.) (A.G. Davies, W.J. Kinart and D.K. Osei-Kissi), C11
The formation of distannanes from tin hydrides (A.G. Davies and D.K. Osei-Kissi), C8

Imidazole
Crystal structures of $Ph_2PbCl_2(imidazole)_2$ isomers with *trans*- and *cis*-arrangements of the phenyl groups (A.V. Yatsenko, H. Schenk and L.A. Aslanov), 107
Imine
Polyfunctional phosphine ligands. Preparation of 4'-formyl-2-diphenylphosphinoacetophenone and its coordination properties (D. Soulivong, R. Ziessel and D. Matt), 207
Indenyl
Reactions of novel cationic diphenylallenylidene complexes $[Ru(=C=C=CPh_2)L_2(\eta\text{-}C_9H_7)]^+$ (L = PPh_3; L_2 = bis(diphenylphosphino)-methane, dppm or 1,2-bis(diphenylphosphino)ethane, dppe) with neutral and anionic nucleophiles (V. Cadierno, M.P. Gamasa, J. Gimeno and E. Lastra), C27
Indole
Synthesis of some heterocyclic derivatives of (η-arene)(η-cyclopentadienyl)iron(II) hexafluorophosphates including estimation of dihedral angles in both free and complexed ligands (S.I.S. Fernando and R.M.G. Roberts), 133
Infrared spectroscopy
Regioselective formation of allylidenecyclopropanes from Fischer chromiumcarbene complexes and vinylidenecyclopropanes (C.-C. Hwu, F.-C. Wang, M.-C.P. Yeh and J.-H. Sheu), 123
Iridium
Coordination chemistry of $[CH(PPh_2)(P(S)Ph_2)_2]$: Pd, Pt, Rh, and Ir complexes, including the crystal and molecular structures of the ligand and a tripodal iridium complex, $[Ir(cod)\{CH(PPh_2)(P(S)Ph_2)_2\text{-}P,S,S\}]BF_4 \cdot CH_2Cl_2$ (J. Browning, K.R. Dixon and S.F. Wang), 199
X-ray structural analysis of the polyhydride complex salt $[(Ph_3P)_3Ir(\mu\text{-}H)_3Ag(\mu\text{-}H)_3Ir(Ph_3P)_3][O_3SCF_3]$ (F. Bachechi), 191
Iron
Hydroxy-group directing hydroiminoacylation of α,ω-dien-3-ol with aldimine by Wilkinson's Complex (C.-H. Jun, J.-S. Han, J.-B. Kang and S.-I. Kim), 183
Spectroscopic studies of hydride addition to the tricarbonylcyclopentadienyliron cation (D.A. Brown, W.K. Glass and M.M. Salama), 129
Synthesis of some heterocyclic derivatives of (η-arene)(η-cyclopentadienyl)iron(II) hexafluorophosphates including estimation of dihedral angles in both free and complexed ligands (S.I.S. Fernando and R.M.G. Roberts), 133
Irradiation
Reactions of alkylcobaloximes with oxygen under irradiation. Oxygenative conversions of the alkyl ligand (M. Kijima, H. Yamashita and T. Sato), 177

Isocyanide
Reactions of platinum triflate complexes with carbon monoxide and t-butyl isonitrile (S. Fallis and G.K. Anderson), 223
The structure of $[Co_3(\eta\text{-}C_5H_5)_3(\mu_3\text{-}S)(\mu_3\text{-}CNC_6H_4Me\text{-}4)]$ (A.R. Manning, L. O'Dwyer, P.A. McArdle and D. Cunningham), 173

Ketone
Polyfunctional phosphine ligands. Preparation of 4'-formyl-2-diphenylphosphinoacetophenone and its coordination properties (D. Soulivong, R. Ziessel and D. Matt), 207

Lactone
Novel concepts in directed biaryl synthesis. XXXIII . An EXAFS spectroscopic study of the structure of lactone-bridged biaryls coordinated to $CpZrCl_3$ in toluene solution (F. Bökman, H. Bertagnolli, O. Schupp and G. Bringmann), 117
Lead
Crystal structures of $Ph_2PbCl_2(imidazole)_2$ isomers with *trans*- and *cis*-arrangements of the phenyl groups (A.V. Yatsenko, H. Schenk and L.A. Aslanov), 107
Lithium
1,4-Dilithio-1,2,3,4-tetraphenyl-butadiene – crystal structure of the 1,2-dimethoxyethane adduct (F. Pauer and P.P. Power), 27
Benzannulation of podocarpic acid derivatives via directed *ortho* metallation and lithium-copper(I) transmetallation (R.C. Cambie, J.H.M. Hill, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 31
$\{Li[C(PMe_2)_2(SiMe_2Ph)]\}_3$, ein Heteroorganolithium-Trimer (H.H. Karsch, R. Richter, M. Paul und J. Riede), C1
The reaction of carbamoylcopper with a silyl chloride to give a carbamoylsilane (A. Orita, K. Ohe and S. Murai), 23

Manganese
Heteropolynuclear complexes containing multiple redox sites: cyanometal ligand derivatives of the triazenido-bridged dirhodium fragment (M. Bardaji, N.C. Brown, A. Christofides and N.G. Connelly), C24
Low-valent metal complexes as redox-active ligands: new heteropolynuclear derivatives of manganese and rhenium cyanides and the crystal structure of $[(o\text{-phen})(OC)_3Re(\mu\text{-}CN)Ru(CO)_2(PPh_3)(o\text{-}O_2C_6Cl_4)]$ (M. Bardaji, N.C. Brown, N.G. Connelly, R. Davies, A.G. Orpen, G.M. Rosair and N.R. Seear), C21
Mass spectrometry
Regioselective formation of allylidenecyclopropanes from Fischer chromiumcarbene complexes and vinylidenecyclopropanes (C.-C. Hwu, F.-C. Wang, M.-C.P. Yeh and J.-H. Sheu), 123
Metallacycle
1,4-Dilithio-1,2,3,4-tetraphenyl-butadiene – crystal structure of the 1,2-dimethoxyethane adduct (F. Pauer and P.P. Power), 27
Metathesis
Metathesis of silicon-containing olefins. X. Metathesis of vinyltrimethylsilane catalyzed by ruthenium complexes (B. Marciniec, C. Pietraszuk and Z. Foltynowicz), 83
Molybdenum
Regioselective formation of allylidenecyclopropanes from Fischer chromiumcarbene complexes and vinylidenecyclopropanes (C.-C. Hwu, F.-C. Wang, M.-C.P. Yeh and J.-H. Sheu), 123

Neodymium
A new method for the synthesis of $Ln(\eta^6\text{-}C_6Me_6)(AlCl_4)_3$(Ln = Nd, Sm, Gd, Yb), and the X-ray crystal structure of $Yb(\eta^6\text{-}C_6Me_6)(AlCl_4)_3 \cdot MeC_6H_5$ (H. Liang, Q. Shen, J. Guan and Y.H. Lin), 113

Alkylation of lanthanide alkoxides: synthesis of $[Ln(\mu\text{-}OBu^t)_3(\mu\text{-}Me)_3(AlMe_2)_3]$ (Ln = Pr, Nd or Y) (P. Biagini, G. Lugli, L. Abis and R. Millini), C16

Nuclear magnetic resonance

Regioselective formation of allylidenecyclopropanes from Fischer chromiumcarbene complexes and vinylidenecyclopropanes (C.-C. Hwu, F.-C. Wang, M.-C.P. Yeh and J.-H. Sheu), 123

Nucleophilic addition

Reactions of novel cationic diphenylallenylidene complexes $[Ru(=C=C=CPh_2)L_2(\eta\text{-}C_9H_7)]^+$ (L = PPh_3; L_2 = bis(diphenylphosphino)-methane, dppm or 1,2-bis(diphenylphosphino)ethane, dppe) with neutral and anionic nucleophiles (V. Cadierno, M.P. Gamasa, J. Gimeno and E. Lastra), C27

Olefin

Metathesis of silicon-containing olefins. X. Metathesis of vinyltrimethylsilane catalyzed by ruthenium complexes (B. Marciniec, C. Pietraszuk and Z. Foltynowicz), 83

Osmium

Addition of some gold electrophiles to an octa-osmium carbonyl cluster: thermodynamic *vs.* kinetic control (Z. Akhter, S.L. Ingham, J. Lewis and P.R. Raithby), 165

Reaction of pentafluoronitrosobenzene with $[Os_3H(\mu\text{-}H)(CO)_{10}(MPh_3)]$ (M = P, As, Sb): synthesis and X-ray structure of $[Os_3(\mu\text{-}H)(CO)_{10}(PPh_3)(ONC_6F_4O)]$ (H.G. Ang, W.L. Kwik and K.K. Ong), 149

Synthesis of novel triosmium alkylidene carbonyl clusters. Crystal structures of $[Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}CNC_5H_4\text{-}CH{=}CH_2)]$ and $[Os_3(\mu\text{-}H)(CO)_9(\mu\text{-}C(H)NC_5H_4\text{-}\eta^2\text{-}CH{=}CH_2)]$ (S. Chan, W.-Y. Wong and W.-T. Wong), C30

Synthesis, X-ray structural and spectroscopic study of new silyl-substituted triosmium clusters (H.G. Ang, B. Chang, W.L. Kwik and E.S.H. Sim), 153

Palladium

Coordination chemistry of $[CH(PPh_2)(P(S)Ph_2)_2]$: Pd, Pt, Rh, and Ir complexes, including the crystal and molecular structures of the ligand and a tripodal iridium complex, $[Ir(cod)\{CH(PPh_2)(P(S)Ph_2)_2\text{-}P,S,S\}]BF_4 \cdot CH_2Cl_2$ (J. Browning, K.R. Dixon and S.F. Wang), 199

Polyfunctional phosphine ligands. Preparation of 4′-formyl-2-diphenylphosphinoacetophenone and its coordination properties (D. Soulivong, R. Ziessel and D. Matt), 207

Transfer of the (dithiomethyoxycarbonyl)diphenylphosphine ligand from tungsten to palladium: syntheses and crystal structures of two palladium (dithiomethoxycarbonyl)phosphine complexes (K.-H. Yih, Y.-C. Lin, M.-C. Cheng and Y. Wang), C34

Pentachlorophenyl

Dichlorobis(pentachlorophenyl)germane and derivatives; synthesis of bis(pentachlorophenyl)germanediol and molecular structure of diiodobis(pentachlorophenyl)germane (L. Fajarí, J. Carilla, L. Juliá, J. Riera, A. Párraga, M. Coll and X. Solans), 89

Perfluoralkyl

Ene-type and hydride-shift reactions of thiocarbonyl compounds with (dimethylamino)bis(trifluoromethyl)borane, $(CF_3)_2BNMe_2$ (H. Bürger, G. Pawelke and J. Rothe), 43

Peroxide

Reactions of alkylcobaloximes with oxygen under irradiation. Oxygenative conversions of the alkyl ligand (M. Kijima, H. Yamashita and T. Sato), 177

Phosphine

Polyfunctional phosphine ligands. Preparation of 4′-formyl-2-diphenylphosphinoacetophenone and its coordination properties (D. Soulivong, R. Ziessel and D. Matt), 207

Transfer of the (dithiomethyoxycarbonyl)diphenylphosphine ligand from tungsten to palladium: syntheses and crystal structures of two palladium (dithiomethoxycarbonyl)phosphine complexes (K.-H. Yih, Y.-C. Lin, M.-C. Cheng and Y. Wang), C34

Phosphine oxide

Polysulfonylamine. LIII. Triphenylphosphinoxid-Komplexe von Organozinn(IV)-dimesylamiden: Darstellung und Festkörperstrukturen ionischer Komplexe des Typs $[R_3Sn(OPPh_3)_2]^+[(MeSO_2)_2N]^-$ und des Molekülkomplexes $[Me_2Sn\{OS(:O,Me)NSO_2Me\}_2(OPPh_3)_2]$ (I. Lange, J. Krahl, P.G. Jones und A. Blaschette), 97

Phosphonate

A convenient stereoselective synthesis of disubstituted alk-1-enyl phosphonates (H.-J. Cristau, M.-B. Gasc and X. Yangkou Mbianda), C14

Phosphorus

A convenient stereoselective synthesis of disubstituted alk-1-enyl phosphonates (H.-J. Cristau, M.-B. Gasc and X. Yangkou Mbianda), C14

Coordination chemistry of $[CH(PPh_2)(P(S)Ph_2)_2]$: Pd, Pt, Rh, and Ir complexes, including the crystal and molecular structures of the ligand and a tripodal iridium complex, $[Ir(cod)\{CH(PPh_2)(P(S)Ph_2)_2\text{-}P,S,S\}]BF_4 \cdot CH_2Cl_2$ (J. Browning, K.R. Dixon and S.F. Wang), 199

$\{Li[C(PMe_2)_2(SiMe_2Ph)]\}_3$, ein Heteroorganolithium-Trimer (H.H. Karsch, R. Richter, M. Paul und J. Riede), C1

Photochemistry

Heteropolynuclear complexes containing multiple redox sites: cyanometal ligand derivatives of the triazenido-bridged dirhodium fragment (M. Bardaji, N.C. Brown, A. Christofides and N.G. Connelly), C24

Platinum

Coordination chemistry of $[CH(PPh_2)(P(S)Ph_2)_2]$: Pd, Pt, Rh, and Ir complexes, including the crystal and molecular structures of the ligand and a tripodal iridium complex, $[Ir(cod)\{CH(PPh_2)(P(S)Ph_2)_2\text{-}P,S,S\}]BF_4 \cdot CH_2Cl_2$ (J. Browning, K.R. Dixon and S.F. Wang), 199

Reactions of platinum triflate complexes with carbon monoxide and t-butyl isonitrile (S. Fallis and G.K. Anderson), 223

Square planar platinum(II) complexes. Crystal structures of *cis*-bis(triphenylphosphine)hydro(triphenylstannyl)platinum(II) and *cis*-bis(triphenylphosphine)hydro(triphenylsilyl)platinum(II) (L. Abdol Latif, C. Eaborn, A.P. Pidcock and N.S. Weng), 217

Podocarpic acid

Benzannulation of podocarpic acid derivatives via directed *ortho* metallation and lithium-copper(I) transmetallation (R.C. Cambie, J.H.M. Hill, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 31

Poly(carbosilanes)

Synthese und Charakterisierung von Hydridopoly(carbosilanen) (W. Habel, L. Mayer und P. Sartori), 63

Poly(pyrazolyl)borates

Synthesis and structural characterization of volatile poly(3,5-dimethyl-1-pyrazolyl)borate-complexes of Ca, Sr, and Ba (T.R. Belderraín, L. Contreras, M. Paneque, E. Carmona, A. Monge and C. Ruiz), C5

Praseodymium
Alkylation of lanthanide alkoxides: synthesis of $[Ln(\mu\text{-}OBu^t)_3(\mu\text{-}Me)_3(AlMe_2)_3]$ (Ln = Pr, Nd or Y) (P. Biagini, G. Lugli, L. Abis and R. Millini), C16

Radical
Reactions of alkylcobaloximes with oxygen under irradiation. Oxygenative conversions of the alkyl ligand (M. Kijima, H. Yamashita and T. Sato), 177

Rhenium
Low-valent metal complexes as redox-active ligands: new heteropolynuclear derivatives of manganese and rhenium cyanides and the crystal structure of $[(o\text{-phen})(OC)_3Re(\mu\text{-}CN)Ru(CO)_2(PPh_3)(o\text{-}O_2C_6Cl_4)]$ (M. Bardaji, N.C. Brown, N.G. Connelly, R. Davies, A.G. Orpen, G.M. Rosair and N.R. Seear), C21

Rhodium
Coordination chemistry of $[CH(PPh_2)(P(S)Ph_2)_2]$: Pd, Pt, Rh, and Ir complexes, including the crystal and molecular structures of the ligand and a tripodal iridium complex, $[Ir(cod)\{CH(PPh_2)(P(S)Ph_2)_2\text{-}P,S,S\}]BF_4 \cdot CH_2Cl_2$ (J. Browning, K.R. Dixon and S.F. Wang), 199
Heteropolynuclear complexes containing multiple redox sites: cyanometal ligand derivatives of the triazenido-bridged dirhodium fragment (M. Bardaji, N.C. Brown, A. Christofides and N.G. Connelly), C24
Hydroxy-group directing hydroiminoacylation of α,ω-dien-3-ol with aldimine by Wilkinson's Complex (C.-H. Jun, J.-S. Han, J.-B. Kang and S.-I. Kim), 183

Ruthenium
Areneruthenium complexes with S_2CPR_3 and trichlorostannate (B. Alvarez, D. Miguel, J.A. Pérez-Martínez and V. Riera), 143
Metathesis of silicon-containing olefins. X. Metathesis of vinyltrimethylsilane catalyzed by ruthenium complexes (B. Marciniec, C. Pietraszuk and Z. Foltynowicz), 83
Reactions of novel cationic diphenylallenylidene complexes $[Ru(=C=C=CPh_2)L_2(\eta\text{-}C_9H_7)]^+$ (L = PPh_3; L_2 = bis(diphenylphosphino)-methane, dppm or 1,2-bis(diphenylphosphino)-ethane, dppe) with neutral and anionic nucleophiles (V. Cadierno, M.P. Gamasa, J. Gimeno and E. Lastra), C27

Samarium
A new method for the synthesis of $Ln(\eta^6\text{-}C_6Me_6)(AlCl_4)_3$(Ln = Nd, Sm, Gd, Yb), and the X-ray crystal structure of $Yb(\eta^6\text{-}C_6Me_6)(AlCl_4)_3 \cdot MeC_6H_5$ (H. Liang, Q. Shen, J. Guan and Y.H. Lin), 113

Silane
Synthesis and reactivity of functional 1-methyl-silacyclopentenes (J. Heinicke, B. Gehrhus and S. Meinel), 71

Silicon
$\{Li[C(PMe_2)_2(SiMe_2Ph)]\}_3$, ein Heteroorganolithium-Trimer (H.H. Karsch, R. Richter, M. Paul und J. Riede), C1
Metathesis of silicon-containing olefins. X. Metathesis of vinyltrimethylsilane catalyzed by ruthenium complexes (B. Marciniec, C. Pietraszuk and Z. Foltynowicz), 83
Square planar platinum(II) complexes. Crystal structures of *cis*-bis(triphenylphosphine)hydro(triphenylstannyl)platinum(II) and *cis*-bis(triphenylphosphine)hydro(triphenylsilyl)platinum(II) (L. Abdol Latif, C. Eaborn, A.P. Pidcock and N.S. Weng), 217
Synthesis, crystal and molecular structure of *N,N*-dimethyl-3-[tris(trimethylsiloxanyl)silyl]pyrrolinium chloride (R. Rudert and G. Schmaucks), 59
The reaction of carbamoylcopper with a silyl chloride to give a carbamoylsilane (A. Orita, K. Ohe and S. Murai), 23
Zur Synthese von Silicium-, Zinn- und Thallium-Verbindungen mit Dimethylaminoethyl-substituierten Cyclopentadienyl-Liganden (J. Dahlhaus, M. Bangel und P. Jutzi), 55

Siloxane
Synthesis, crystal and molecular structure of *N,N*-dimethyl-3-[tris(trimethylsiloxanyl)silyl]pyrrolinium chloride (R. Rudert and G. Schmaucks), 59

Silver
X-ray structural analysis of the polyhydride complex salt $[(Ph_3P)_3Ir(\mu\text{-}H)_3Ag(\mu\text{-}H)_3Ir(Ph_3P)_3][O_3SCF_3]$ (F. Bachechi), 191

Silyl
Synthesis, X-ray structural and spectroscopic study of new silyl-substituted triosmium clusters (H.G. Ang, B. Chang, W.L. Kwik and E.S.H. Sim), 153

Silylene
Synthesis and reactivity of functional 1-methyl-silacyclopentenes (J. Heinicke, B. Gehrhus and S. Meinel), 71

Small ring
Regioselective formation of allylidenecyclopropanes from Fischer chromiumcarbene complexes and vinylidenecyclopropanes (C.-C. Hwu, F.-C. Wang, M.-C.P. Yeh and J.-H. Sheu), 123

Stereoselective synthesis
A convenient stereoselective synthesis of disubstituted alk-1-enyl phosphonates (H.-J. Cristau, M.-B. Gasc and X. Yangkou Mbianda), C14

Strontium
Synthesis and structural characterization of volatile poly(3,5-dimethyl-1-pyrazolyl)borate-complexes of Ca, Sr, and Ba (T.R. Belderraín, L. Contreras, M. Paneque, E. Carmona, A. Monge and C. Ruiz), C5

Sulfur
Coordination chemistry of $[CH(PPh_2)(P(S)Ph_2)_2]$: Pd, Pt, Rh, and Ir complexes, including the crystal and molecular structures of the ligand and a tripodal iridium complex, $[Ir(cod)\{CH(PPh_2)(P(S)Ph_2)_2\text{-}P,S,S\}]BF_4 \cdot CH_2Cl_2$ (J. Browning, K.R. Dixon and S.F. Wang), 199

Synthesis
Reaction of pentafluoronitrosobenzene with $[Os_3H(\mu\text{-}H)(CO)_{10}(MPh_3)]$ (M = P, As, Sb): synthesis and X-ray structure of $[Os_3(\mu\text{-}H)(CO)_{10}(PPh_3)(ONC_6F_4O)]$ (H.G. Ang, W.L. Kwik and K.K. Ong), 149

Thallium
Zur Synthese von Silicium-, Zinn- und Thallium-Verbindungen mit Dimethylaminoethyl-substituierten Cyclopentadienyl-Liganden (J. Dahlhaus, M. Bangel und P. Jutzi), 55

Thiocarbonyl compounds
Ene-type and hydride-shift reactions of thiocarbonyl compounds with (dimethylamino)bis(trifluoromethyl)borane, $(CF_3)_2BNMe_2$ (H. Bürger, G. Pawelke and J. Rothe), 43

Tin
Areneruthenium complexes with S_2CPR_3 and trichlorostannate (B. Alvarez, D. Miguel, J.A. Pérez-Martínez and V. Riera), 143
Hydrostannation and hydrostannolysis by diorganotin hydrides R_2SnXH (X = halide, carboxylate, sulphonate, etc.) (A.G. Davies, W.J. Kinart and D.K. Osei-Kissi), C11
Polysulfonylamine. LIII. Triphenylphosphinoxid-Komplexe von Organozinn(IV)-dimesylamiden: Darstellung und Festkörperstrukturen ionischer Komplexe des Typs $[R_3Sn(OPPh_3)_2]^+$-$[(MeSO_2)_2N]^-$ und des Molekülkomplexes $[Me_2Sn\{OS(:O,$

Me)NSO_2Me}$_2$($OPPh_3$)$_2$] (I. Lange, J. Krahl, P.G. Jones und A. Blaschette), 97
Square planar platinum(II) complexes. Crystal structures of *cis*-bis(triphenylphosphine)hydro(triphenylstannyl)platinum(II) and *cis*-bis(triphenylphosphine)hydro(triphenylsilyl)platinum(II) (L. Abdol Latif, C. Eaborn, A.P. Pidcock and N.S. Weng), 217
The formation of distannanes from tin hydrides (A.G. Davies and D.K. Osei-Kissi), C8
Zur Synthese von Silicium-, Zinn- und Thallium-Verbindungen mit Dimethylaminoethyl-substituierten Cyclopentadienyl-Liganden (J. Dahlhaus, M. Bangel und P. Jutzi), 55

Triazenide
Heteropolynuclear complexes containing multiple redox sites: cyanometal ligand derivatives of the triazenido-bridged dirhodium fragment (M. Bardaji, N.C. Brown, A. Christofides and N.G. Connelly), C24

Triflate
Reactions of platinum triflate complexes with carbon monoxide and t-butyl isonitrile (S. Fallis and G.K. Anderson), 223

Tungsten
Transfer of the (dithiomethyoxycarbonyl)diphenylphosphine ligand from tungsten to palladium: syntheses and crystal structures of two palladium (dithiomethoxycarbonyl)phosphine complexes (K.-H. Yih, Y.-C. Lin, M.-C. Cheng and Y. Wang), C34

Univalent
Some aspects of the organometallic chemistry of univalent gold (K.I. Grandberg and V.P. Dyadchenko), 1

Vinyl
Bis(tert-butylcyclopentadienyl)(divinyl)hafnium from bis(tert-butylcyclopentadienyl)hafnium dichloride and vinyllithium (U. Böhme, R.J.H. Clark and M. Jennens), C19

X-ray diffraction
1,4-Dilithio-1,2,3,4-tetraphenyl-butadiene – crystal structure of the 1,2-dimethoxyethane adduct (F. Pauer and P.P. Power), 27
A new method for the synthesis of Ln(η^6-C_6Me_6)($AlCl_4$)$_3$(Ln = Nd, Sm, Gd, Yb), and the X-ray crystal structure of Yb(η^6-C_6Me_6)($AlCl_4$)$_3$ · MeC_6H_5 (H. Liang, Q. Shen, J. Guan and Y.H. Lin), 113
Crystal structures of Ph_2PbCl_2(imidazole)$_2$ isomers with *trans*- and *cis*-arrangements of the phenyl groups (A.V. Yatsenko, H. Schenk and L.A. Aslanov), 107
Dichlorobis(pentachlorophenyl)germane and derivatives; synthesis of bis(pentachlorophenyl)germanediol and molecular structure of diiodobis(pentachlorophenyl)germane (L. Fajarí, J. Carilla, L. Juliá, J. Riera, A. Párraga, M. Coll and X. Solans), 89
Polysulfonylamine. LIII. Triphenylphosphinoxid-Komplexe von Organozinn(IV)-dimesylamiden: Darstellung und Festkörperstrukturen ionischer Komplexe des Typs [$R_3Sn(OPPh_3)_2$]$^+$-[$(MeSO_2)_2N$]$^-$ und des Molekülkomplexes [Me_2Sn{OS(:O, Me)NSO_2Me}$_2$($OPPh_3$)$_2$] (I. Lange, J. Krahl, P.G. Jones und A. Blaschette), 97
Synthesis, X-ray structural and spectroscopic study of new silyl-substituted triosmium clusters (H.G. Ang, B. Chang, W.L. Kwik and E.S.H. Sim), 153
Transfer of the (dithiomethyoxycarbonyl)diphenylphosphine ligand from tungsten to palladium: syntheses and crystal structures of two palladium (dithiomethoxycarbonyl)phosphine complexes (K.-H. Yih, Y.-C. Lin, M.-C. Cheng and Y. Wang), C34

X-ray structure
Alkylation of lanthanide alkoxides: synthesis of [Ln(μ-OBu^t)$_3$(μ-Me)$_3$($AlMe_2$)$_3$] (Ln = Pr, Nd or Y) (P. Biagini, G. Lugli, L. Abis and R. Millini), C16
Synthesis and structural characterization of volatile poly(3,5-dimethyl-1-pyrazolyl)borate-complexes of Ca, Sr, and Ba (T.R. Belderraín, L. Contreras, M. Paneque, E. Carmona, A. Monge and C. Ruiz), C5
X-ray structural analysis of the polyhydride complex salt [$(Ph_3P)_3Ir(\mu$-H)$_3$Ag(μ-H)$_3$Ir(Ph_3P)$_3$][O_3SCF_3] (F. Bachechi), 191

Ytterbium
A new method for the synthesis of Ln(η^6-C_6Me_6)($AlCl_4$)$_3$(Ln = Nd, Sm, Gd, Yb), and the X-ray crystal structure of Yb(η^6-C_6Me_6)($AlCl_4$)$_3$ · MeC_6H_5 (H. Liang, Q. Shen, J. Guan and Y.H. Lin), 113
Alkylation of lanthanide alkoxides: synthesis of [Ln(μ-OBu^t)$_3$(μ-Me)$_3$($AlMe_2$)$_3$] (Ln = Pr, Nd or Y) (P. Biagini, G. Lugli, L. Abis and R. Millini), C16

Zirconium
Bis(tert-butylcyclopentadienyl)(divinyl)hafnium from bis(tert-butylcyclopentadienyl)hafnium dichloride and vinyllithium (U. Böhme, R.J.H. Clark and M. Jennens), C19
Novel concepts in directed biaryl synthesis. XXXIII . An EXAFS spectroscopic study of the structure of lactone-bridged biaryls coordinated to $CpZrCl_3$ in toluene solution (F. Bökman, H. Bertagnolli, O. Schupp and G. Bringmann), 117
Synthesis of a new class of bidentate Lewis acids based on boronic esters and zirconocene (B. Zheng and M. Srebnik), 49

Book reviews
Gmelin Handbook of Inorganic and Organometallic Compounds, 8th edn., S, Sulfur-Nitrogen Compounds, Part 9 (C. Eaborn), C37
Siloxane Polymers, S.J. Clarson and J.A. Semlyem (Eds.) (C. Eaborn), C37